



PANEM
solutions de froids

RETARDER- PROVER CABINETS



AFNOR Cert. 14111



RETARDER-
PROVING

RETARDER- PROVING PROCESS



DELAYED PROVING

A delayed proofing device allows proofing to be blocked or slowed down for a predefined time, then the dough is left to ferment at a precise temperature.

The complete cycle comprises several stages: loading the dough, the blocking phase, fermentation, and a return to cold (Stop Pousse). These stages are automatically adjusted according to the desired end time and the programmed durations for the loading and proofing phases.

SLOW PROVING

The cycle comprises two stages: loading and fermentation. They follow one another without any notion of duration.



RETARDER-
PROVING

THE PANEM ASSETS



AFNOR Cert. 14111



- **DISMANTLED**
- **STAINLESS STEEL SCREW JACKS**



- Serial **TROPICALISED** condensing unit
- **OPTIMIZED** door sealing



- Inside all **STAINLESS STEEL** preventing any risk of corrosion



- Possibility of “**COLD RESET**”
- **CHANNELLED AIR DIFFUSION** enabling an even proving preventing crusting risk
- Humidity regulation **WITHOUT EXTERNAL WATER SUPPLY**



OUR REFERENCES AND EXTERNAL DIMENSIONS

SUPPORTS	REFERENCES	CAPACITY	W (mm)	D (mm)	H (mm)	INLET (mm)
400 x 600 mm	AA20V	20 supports	575	905	2020	400
	AA25V	25 supports	575	905	2250	400
	AA24VDC	2x12 supports	635	1095	2250	400
400 mm or 460 x 800 mm	AA24B	24 supports	635	1200	2250	400
	AA24BPAN	24 supports	635	1200	2250	400
	AA24BDC	2x12 supports	775	1200	2250	400
600 x 800 mm	AA24B1DC	2x12 supports	775	1200	2250	600
	AA24B1DCPAN	2x12 supports	775	1200	2250	600
600 x 800 mm or 900 mm	AA24B1	24 supports	775	1200	2280	600
	AA24B1PAN	24 supports	775	1200	2280	600
	AP24B1	24 supports	775	1200	2280	600
	AP24B1PAN	24 supports	775	1200	2280	600
	AA24B4	24 supports	975	1200	2280	750
	AA24B4PAN	24 supports	975	1200	2280	750
800 x 900 mm	AA24B4DBSL	24 supports	1125	1100	2280	900
	AA24B4DBSLPAN	24 supports	1125	1100	2280	900

PANEM INTERNATIONAL SAS
 ZA - 34 Allée des Grands Champs
 79260 LA CRECHE
 00 33 5 49 25 50 04
www.panem.fr
panem@panem.fr

